ELSEVIER

Brain Research 745 (1997) 358–360

BRAIN RESEARCH

Author Index

Abbadie, C., see Rohde, D.S. (745) 83
Adan, J., see Zapata, A. (745) 114
Adler, M.W., see Ghosh, S. (745) 152
Aijón, J., see Crespo, C. (745) 293
Akaike, N., see Katayama, J. (745) 283
Alberi, S., Dubois-Dauphin, M., Dreifuss, J.J. and Raggenbass, M.
Whole-cell NMDA-evoked current in suprachiasmatic neurones of the rat: modulation by extracellular calcium ions (745) 55
Alonso, J.R., see Crespo, C. (745) 293
Angenstein, F., Hirschfelder, M. and Staak, S.
Activation of metabotropic glutamate receptors increases endogenous protein kinase C substrate phosphorylation in adult hippocampal slices (745) 46
Appelt, D.M. and Balin, B.J.
The association of tissue transglutaminase with human recombinant tau results in the formation of insoluble filamentous structures (745) 21
Arai, R., Kimura, H., Nagatsu, I. and Maeda, T.
Preferential localization of monoamine oxidase type A activity in neurons of the locus coeruleus and type B activity in neurons of the dorsal raphe nucleus of the rat: a detailed enzyme histochemical study (745) 352
Arévalo, R., see Crespo, C. (745) 293
Ashton, D., Willems, R., Wynants, J., Van Reempts, J., Marrannes, R. and Clincke, G.
Altered Na^+-channel function as an in vitro model of the ischemic penumbra: action of lubeluzole and other neuroprotective drugs (745) 210

Balin, B.J., see Appelt, D.M. (745) 21
Barf, T., see Hall, H. (745) 96
Basbaum, A.I., see Rohde, D.S. (745) 83
Bealer, S.L.
Acute hypertension increases norepinephrine release in the diagonal band of Broca (745) 313
Beck, S.G., see Okuhara, D.Y. (745) 144
Berry, R.L., see Smith, M.A. (745) 248
Bhargava, H.N., see Zhao, G.-M. (745) 243
Brawer, J.R., see Wener, K.M. (745) 37
Briñón, J.G., see Crespo, C. (745) 293

Capdevila, J.L., see Zapata, A. (745) 114
Chan, P.H., see Sato, S. (745) 343
Chapin, J.K., see West, M.O. (745) 331
Chen, W.R. and Shepherd, G.M.
Membrane and synaptic properties of mitral cells in slices of rat olfactory bulb (745) 189
Chiba, A., Kusunoki, S., Obata, H., Machinami, R. and Kanazawa, I.
Ganglioside composition of the human cranial nerves, with special reference to pathophysiology of Miller Fisher syndrome (745) 32
Clark, M., see Smith, M.A. (745) 248
Cliffe, I.A., see Hall, H. (745) 96
Clincke, G., see Ashton, D. (745) 210
Copin, J.-C., see Sato, S. (745) 343
Crespo, C., Alonso, J.R., Briñón, J.G., Weruaga, E., Porteros, A., Arévalo, R. and Aijón, J.
Calcium-binding proteins in the periglomerular region of typical and atypical olfactory glomeruli (745) 293

Decker, K., see Reuss, S. (745) 197
De Natale, G., see Enrico, P. (745) 173
Desole, M.S., see Enrico, P. (745) 173
Dreifuss, J.J., see Alberi, S. (745) 55
Du, W. and Harvey, J.A.
Harmaline-induced tremor and impairment of learning are both blocked by dizocilpine in the rabbit (745) 183
Dubois-Dauphin, M., see Alberi, S. (745) 55
Dunn-Meynell, A.A., Routh, V.H., McArdle, J.J. and Levin, B.E.
Low-affinity sulfonylurea binding sites reside on neuronal cell bodies in the brain (745) 1

Ekström, P., see Holmqvist, B. (745) 67
Enrico, P., Esposito, G., Mura, M.A., Fresu, L., De Natale, G., Miele, E., Desole, M.S. and Miele, M.
Effect of morphine on striatal dopamine metabolism and ascorbic acid and uric acid release in freely moving rats (745) 173
Esposito, G., see Enrico, P. (745) 173

Fahrenkrug, J., see Zhang, Q. (745) 357
Farde, L., see Hall, H. (745) 96
Fletcher, A., see Hall, H. (745) 96
Fresu, L., see Enrico, P. (745) 173
Fueta, Y., see Ono, T. (745) 165

Geller, E.B., see Ghosh, S. (745) 152
Ghosh, S., Geller, E.B. and Adler, M.W.
Interaction of cholecystokinin and somatostatin with a selective μ-opioid agonist and μ- and κ- antagonists in thermoregulation (745) 152
Gobbel, G.T., see Sato, S. (745) 343
Gold, P.E., see Parent, M.B. (745) 317
Gotow, T., Nishi, T. and Murakami, M.
4-Aminopyridine and *l-cis*-diltiazem block the cGMP-activated K^+ channels closed by light in the molluscan extra-ocular photoreceptors (745) 303
Govindaiah, , Rao, B.S.S., Raju, T.R. and Meti, B.L.
Loss of hippocampal CA1 neurons and learning impairment in subicular lesioned rats (745) 121
Griffith, W.H., see Hall, S.C. (745) 339
Gyimesi-Pelczer, K., see Kocsis, B. (745) 309

Hall, H., Lundkvist, C., Halldin, C., Farde, L., Pike, V.W., McCarron, J.A., Fletcher, A., Cliffe, I.A., Barf, T., Wikström, H. and Sedvall, G.
Autoradiographic localization of 5-HT_{1A} receptors in the post-mortem human brain using [^{3}H]WAY-100635 and [^{11}C]WAY-100635 (745) 96
Hall, S.C. and Griffith, W.H.
Calcium channel types mediating synaptic transmission during aging (745) 339
Halldin, C., see Hall, H. (745) 96
Han, J.-S., see Zhang, L.-X. (745) 158
Hannibal, J., see Zhang, Q. (745) 357
Hari, R., see Raij, T. (745) 134
Harvey, J.A., see Du, W. (745) 183
Hentall, I.D. and White, T.R.
Evidence for rhythmic firing being caused by feedback inhibition in pinch-inhibited raphe magnus neurons (745) 348
Hirschfelder, M., see Angenstein, F. (745) 46
Hökfelt, T., see Zhang, Q. (745) 357
Holmqvist, B. and Ekström, P.
Subcellular localization of neuronal nitric oxide synthase in the brain of a teleost; an immunoelectron and confocal microscopical study (745) 67
Honkaniemi, J., see Sato, S. (745) 343

Inoue, Y., see Takayama, C. (745) 231
Iwasa, H., see Suzuki, K. (745) 109

Janjua, N.A., see Ono, T. (745) 165
Ji, R.-R., see Zhang, Q. (745) 357

Kanazawa, I., see Chiba, A. (745) 32
Katayama, J., Yakushiji, T. and Akaike, N.
Characterization of the K^+ current mediated by 5-HT_{1A} receptor in the acutely dissociated rat dorsal raphe neurons (745) 283

ELSEVIER

Brain Research 745 (1997) 358–360

BRAIN RESEARCH

Author Index

Abbadie, C., see Rohde, D.S. (745) 83
Adan, J., see Zapata, A. (745) 114
Adler, M.W., see Ghosh, S. (745) 152
Aijón, J., see Crespo, C. (745) 293
Akaike, N., see Katayama, J. (745) 283
Alberi, S., Dubois-Dauphin, M., Dreifuss, J.J. and Raggenbass, M.
Whole-cell NMDA-evoked current in suprachiasmatic neurones of the rat: modulation by extracellular calcium ions (745) 55
Alonso, J.R., see Crespo, C. (745) 293
Angenstein, F., Hirschfelder, M. and Staak, S.
Activation of metabotropic glutamate receptors increases endogenous protein kinase C substrate phosphorylation in adult hippocampal slices (745) 46
Appelt, D.M. and Balin, B.J.
The association of tissue transglutaminase with human recombinant tau results in the formation of insoluble filamentous structures (745) 21
Arai, R., Kimura, H., Nagatsu, I. and Maeda, T.
Preferential localization of monoamine oxidase type A activity in neurons of the locus coeruleus and type B activity in neurons of the dorsal raphe nucleus of the rat: a detailed enzyme histochemical study (745) 352
Arévalo, R., see Crespo, C. (745) 293
Ashton, D., Willems, R., Wynants, J., Van Reempts, J., Marrannes, R. and Clincke, G.
Altered Na^+-channel function as an in vitro model of the ischemic penumbra: action of lubeluzole and other neuroprotective drugs (745) 210

Balin, B.J., see Appelt, D.M. (745) 21
Barf, T., see Hall, H. (745) 96
Basbaum, A.I., see Rohde, D.S. (745) 83
Bealer, S.L.
Acute hypertension increases norepinephrine release in the diagonal band of Broca (745) 313
Beck, S.G., see Okuhara, D.Y. (745) 144
Berry, R.L., see Smith, M.A. (745) 248
Bhargava, H.N., see Zhao, G.-M. (745) 243
Brawer, J.R., see Wener, K.M. (745) 37
Briñón, J.G., see Crespo, C. (745) 293

Capdevila, J.L., see Zapata, A. (745) 114
Chan, P.H., see Sato, S. (745) 343
Chapin, J.K., see West, M.O. (745) 331
Chen, W.R. and Shepherd, G.M.
Membrane and synaptic properties of mitral cells in slices of rat olfactory bulb (745) 189
Chiba, A., Kusunoki, S., Obata, H., Machinami, R. and Kanazawa, I.
Ganglioside composition of the human cranial nerves, with special reference to pathophysiology of Miller Fisher syndrome (745) 32
Clark, M., see Smith, M.A. (745) 248
Cliffe, I.A., see Hall, H. (745) 96
Clincke, G., see Ashton, D. (745) 210
Copin, J.-C., see Sato, S. (745) 343
Crespo, C., Alonso, J.R., Briñón, J.G., Weruaga, E., Porteros, A., Arévalo, R. and Aijón, J.
Calcium-binding proteins in the periglomerular region of typical and atypical olfactory glomeruli (745) 293

Decker, K., see Reuss, S. (745) 197
De Natale, G., see Enrico, P. (745) 173
Desole, M.S., see Enrico, P. (745) 173
Dreifuss, J.J., see Alberi, S. (745) 55
Du, W. and Harvey, J.A.
Harmaline-induced tremor and impairment of learning are both blocked by dizocilpine in the rabbit (745) 183
Dubois-Dauphin, M., see Alberi, S. (745) 55
Dunn-Meynell, A.A., Routh, V.H., McArdle, J.J. and Levin, B.E.
Low-affinity sulfonylurea binding sites reside on neuronal cell bodies in the brain (745) 1

Ekström, P., see Holmqvist, B. (745) 67
Enrico, P., Esposito, G., Mura, M.A., Fresu, L., De Natale, G., Miele, E., Desole, M.S. and Miele, M.
Effect of morphine on striatal dopamine metabolism and ascorbic acid and uric acid release in freely moving rats (745) 173
Esposito, G., see Enrico, P. (745) 173

Fahrenkrug, J., see Zhang, Q. (745) 357
Farde, L., see Hall, H. (745) 96
Fletcher, A., see Hall, H. (745) 96
Fresu, L., see Enrico, P. (745) 173
Fueta, Y., see Ono, T. (745) 165

Geller, E.B., see Ghosh, S. (745) 152
Ghosh, S., Geller, E.B. and Adler, M.W.
Interaction of cholecystokinin and somatostatin with a selective μ-opioid agonist and μ- and κ- antagonists in thermoregulation (745) 152
Gobbel, G.T., see Sato, S. (745) 343
Gold, P.E., see Parent, M.B. (745) 317
Gotow, T., Nishi, T. and Murakami, M.
4-Aminopyridine and *l-cis*-diltiazem block the cGMP-activated K^+ channels closed by light in the molluscan extra-ocular photoreceptors (745) 303
Govindaiah, , Rao, B.S.S., Raju, T.R. and Meti, B.L.
Loss of hippocampal CA1 neurons and learning impairment in subicular lesioned rats (745) 121
Griffith, W.H., see Hall, S.C. (745) 339
Gyimesi-Pelczer, K., see Kocsis, B. (745) 309

Hall, H., Lundkvist, C., Halldin, C., Farde, L., Pike, V.W., McCarron, J.A., Fletcher, A., Cliffe, I.A., Barf, T., Wikström, H. and Sedvall, G.
Autoradiographic localization of 5-HT_{1A} receptors in the post-mortem human brain using [^{3}H]WAY-100635 and [^{11}C]WAY-100635 (745) 96
Hall, S.C. and Griffith, W.H.
Calcium channel types mediating synaptic transmission during aging (745) 339
Halldin, C., see Hall, H. (745) 96
Han, J.-S., see Zhang, L.-X. (745) 158
Hannibal, J., see Zhang, Q. (745) 357
Hari, R., see Raij, T. (745) 134
Harvey, J.A., see Du, W. (745) 183
Hentall, I.D. and White, T.R.
Evidence for rhythmic firing being caused by feedback inhibition in pinch-inhibited raphe magnus neurons (745) 348
Hirschfelder, M., see Angenstein, F. (745) 46
Hökfelt, T., see Zhang, Q. (745) 357
Holmqvist, B. and Ekström, P.
Subcellular localization of neuronal nitric oxide synthase in the brain of a teleost; an immunoelectron and confocal microscopical study (745) 67
Honkaniemi, J., see Sato, S. (745) 343

Inoue, Y., see Takayama, C. (745) 231
Iwasa, H., see Suzuki, K. (745) 109

Janjua, N.A., see Ono, T. (745) 165
Ji, R.-R., see Zhang, Q. (745) 357

Kanazawa, I., see Chiba, A. (745) 32
Katayama, J., Yakushiji, T. and Akaike, N.
Characterization of the K^+ current mediated by 5-HT_{1A} receptor in the acutely dissociated rat dorsal raphe neurons (745) 283

Kikuchi, S., see Suzuki, K. (745) 109
Kimura, H., see Arai, R. (745) 352
Kocsis, B. and Gyimesi-Pelczer, K.
Power spectral analysis of inspiratory nerve activity in the anesthetized rat: uncorrelated fast oscillations in different inspiratory nerves (745) 309
Kondo, T., see Sato, S. (745) 343
Kurihara, H., see Takayama, C. (745) 231
Kusunoki, S., see Chiba, A. (745) 32

Lai, Y.Y. and Siegel, J.M.
Brainstem-mediated locomotion and myoclonic jerks. I. Neural substrates (745) 257
Lai, Y.Y. and Siegel, J.M.
Brainstem-mediated locomotion and myoclonic jerks. II. Pharmacological effects (745) 265
Leinekugel, X., see Roisin, M.-P. (745) 222
Levin, B.E., see Dunn-Meynell, A.A. (745) 1
Li, J.-L. and Mizuno, N.
Parabrachial nucleus neurons providing axons to both the thalamus and the spinal cord in the rat (745) 321
Li, X.-L., see Zhang, L.-X. (745) 158
Li, Y., see Sato, S. (745) 343
Lin, L. and York, D.A.
Comparisons of the effects of enterostatin on food intake and gastric emptying in rats (745) 205
Löscher, W., see Richter, A. (745) 336
Lundkvist, C., see Hall, H. (745) 96

Machinami, R., see Chiba, A. (745) 32
Maeda, T., see Arai, R. (745) 352
Mäkelä, J.P., see Raij, T. (745) 134
Marrannes, R., see Ashton, D. (745) 210
Martínez, J.M., see Zapata, A. (745) 114
Massenburg, G., see Smith, M.A. (745) 248
Matsumoto, K., see Ojima, K. (745) 127
McArdle, J.J., see Dunn-Meynell, A.A. (745) 1
McCarron, J.A., see Hall, H. (745) 96
McEvoy, L., see Raij, T. (745) 134
McKay, W.R., see Rohde, D.S. (745) 83
Meti, B.L., see Govindaiah, (745) 121
Michael, A.J., see West, M.O. (745) 331
Miele, E., see Enrico, P. (745) 173
Miele, M., see Enrico, P. (745) 173
Mishina, M., see Takayama, C. (745) 231
Mita, T., see Ono, T. (745) 165
Miyake, M., see Suzuki, K. (745) 109
Mizuno, N., see Li, J.-L. (745) 321
Morales, C.R., see Wener, K.M. (745) 37
Morinaga, N., see Suzuki, K. (745) 109
Muma, N.A., see Okuhara, D.Y. (745) 144
Mura, M.A., see Enrico, P. (745) 173
Murai, Y., see Ono, T. (745) 165
Murakami, K., see Sato, S. (745) 343
Murakami, M., see Gotow, T. (745) 303

Nagatsu, I., see Arai, R. (745) 352
Nakagawa, S., see Takayama, C. (745) 231
Nishi, T., see Gotow, T. (745) 303
Noda, M., see Suzuki, K. (745) 109

Obata, H., see Chiba, A. (745) 32
Ohmori, O., see Ono, T. (745) 165
Ohno, K., see Ono, T. (745) 165
Ojima, K., Matsumoto, K. and Watanabe, H.
Flumazenil reverses the decrease in the hypnotic activity of pentobarbital by social isolation stress: are endogenous benzodiazepine receptor ligands involved? (745) 127
Okuhara, D.Y., Beck, S.G. and Muma, N.A.
Corticosterone alters G protein α-subunit levels in the rat hippocampus (745) 144
Ono, T., Fueta, Y., Janjua, N.A., Ohmori, O., Ohno, K., Murai, Y. and Mita, T.
Granule cell disinhibition in dentate gyrus of genetically seizure susceptible El mice (745) 165

Pan, E., see Stringer, J.L. (745) 328
Parent, M.B. and Gold, P.E.
Intra-septal infusions of glucose potentiate inhibitory avoidance deficits when co-infused with the GABA agonist muscimol (745) 317
Peoples, L.L., see West, M.O. (745) 331
Pike, V.W., see Hall, H. (745) 96
Piulats, J., see Zapata, A. (745) 114
Porteros, A., see Crespo, C. (745) 293
Post, R.M., see Smith, M.A. (745) 248

Raggenbass, M., see Alberi, S. (745) 55
Raij, T., McEvoy, L., Mäkelä, J.P. and Hari, R.
Human auditory cortex is activated by omissions of auditory stimuli (745) 134
Raju, T.R., see Govindaiah, (745) 121
Rao, B.S.S., see Govindaiah, (745) 121
Reuss, S. and Decker, K.
Anterograde tracing of retinohypothalamic afferents with Fluoro-Gold (745) 197
Richter, A. and Löscher, W.
Dextrorphan, but not dextromethorphan, exerts weak antidystonic effects in mutant dystonic hamsters (745) 336
Rohde, D.S., McKay, W.R., Abbadie, C. and Basbaum, A.I.
Contribution of sacral spinal cord neurons to the autonomic and somatic consequences of withdrawal from morphine in the rat (745) 83
Roisin, M.-P., Leinekugel, X. and Tremblay, E.
Implication of protein kinase C in mechanisms of potassium- induced long-term potentiation in rat hippocampal slices (745) 222
Routh, V.H., see Dunn-Meynell, A.A. (745) 1

Sato, M., see Sato, S. (745) 343
Sato, S., Gobbel, G.T., Honkaniemi, J., Li, Y., Kondo, T., Murakami, K., Sato, M., Copin, J.-C. and Chan, P.H.
Apoptosis in the striatum of rats following intraperitoneal injection of 3-nitropropionic acid (745) 343
Sato, T., see Suzuki, K. (745) 109
Sedvall, G., see Hall, H. (745) 96
Shearman, L.P. and Weaver, D.R.
[^{125}I]4-Aminobenzyl-5′-*N*-methylcarboxamidoadenosine ([^{125}I]AB-MECA) labels multiple adenosine receptor subtypes in rat brain (745) 10
Shepherd, G.M., see Chen, W.R. (745) 189
Shi, T.-J., see Zhang, Q. (745) 357
Shvedov, A., see Tsitolovsky, L.E. (745) 271
Siegel, J.M., see Lai, Y.Y. (745) 257
Siegel, J.M., see Lai, Y.Y. (745) 265
Smith, M.A., Weiss, S.R.B., Berry, R.L., Zhang, L.-X., Clark, M., Massenburg, G. and Post, R.M.
Amygdala-kindled seizures increase the expression of corticotropin-releasing factor (CRF) and CRF-binding protein in GABAergic interneurons of the dentate hilus (745) 248
Staak, S., see Angenstein, F. (745) 46
Stringer, J.L. and Pan, E.
Effect of seizures and diuretics on the osmolality of the cerebrospinal fluid (745) 328
Sundler, F., see Zhang, Q. (745) 357
Suzuki, K., Iwasa, H., Kikuchi, S., Sato, T., Miyake, M., Morinaga, N. and Noda, M.
The contribution of endogenous mono-ADP-ribosylation to kindling-induced epileptogenesis (745) 109

Takayama, C., Nakagawa, S., Watanabe, M., Kurihara, H., Mishina, M. and Inoue, Y.
Altered intracellular localization of the glutamate receptor channel $\delta 2$ subunit in weaver and reeler Purkinje cells (745) 231
Tarrason, G., see Zapata, A. (745) 114
Tremblay, E., see Roisin, M.-P. (745) 222
Trullas, R., see Zapata, A. (745) 114
Tsitolovsky, L.E. and Shvedov, A.
Instrumental conditioning of the activity of putative command neurons in the mollusk *Helix* (745) 271

Van Reempts, J., see Ashton, D. (745) 210

Wang, L., see Zhang, L.-X. (745) 158
Watanabe, H., see Ojima, K. (745) 127
Watanabe, M., see Takayama, C. (745) 231
Weaver, D.R., see Shearman, L.P. (745) 10
Weiss, S.R.B., see Smith, M.A. (745) 248
Wener, K.M., Morales, C.R. and Brawer, J.R.
The effect of estradiol-induced hypothalamic pathology on sulfated glycoprotein-2 (clusterin) expression in the hypothalamus (745) 37
Weruaga, E., see Crespo, C. (745) 293
West, M.O., Peoples, L.L., Michael, A.J., Chapin, J.K. and Woodward, D.J.
Low-dose amphetamine elevates movement-related firing of rat striatal neurons (745) 331
White, T.R., see Hentall, I.D. (745) 348
Wikström, H., see Hall, H. (745) 96
Willems, R., see Ashton, D. (745) 210
Woodward, D.J., see West, M.O. (745) 331
Wynants, J., see Ashton, D. (745) 210

Yakushiji, T., see Katayama, J. (745) 283
York, D.A., see Lin, L. (745) 205

Zapata, A., Capdevila, J.L., Tarrason, G., Adan, J., Martínez, J.M., Piulats, J. and Trullas, R.
Effects of NMDA-R1 antisense oligodeoxynucleotide administration: behavioral and radioligand binding studies (745) 114

Zhang, L.-X., Li, X.-L., Wang, L. and Han, J.-S.
Rats with decreased brain cholecystokinin levels show increased responsiveness to peripheral electrical stimulation-induced analgesia (745) 158

Zhang, L.-X., see Smith, M.A. (745) 248

Zhang, Q., Shi, T.-J., Ji, R.-R., Zhang, Y.-Z., Sundler, F., Hannibal, J., Fahrenkrug, J. and Hökfelt, T.
Expression of pituitary adenylate cyclase-activating polypeptide in dorsal root ganglia following axotomy: time course and coexistence (Brain Research 705 (1995) 149–158 (BRES 11829)) (745) 357

Zhang, Y.-Z., see Zhang, Q. (745) 357

Zhao, G.-M. and Bhargava, H.N.
Effects of multiple intracerebroventricular injections of [D-Pen^2,D-Pen^5]enkephalin and [D-Ala^2,Glu^4]deltorphin II on tolerance to their analgesic action and on brain δ-opioid receptors (745) 243